



make mine mary meyer

Mary Meyer Certificate of Compliance

I. This certificate covers Mary Meyer item: MM 38550, floral monkey

II. This product is certified to meet the following CPSC safety regulations:

ASTM F963 + 16 CFR Flammability Test
16 CFR 1303 Total Lead Content
ASTM F963 + 16 CFR Physical and Mechanical Test
ASTM F 963 Soluble Heavy Metal Content
Total Lead in substrate per CPSIA 2008 (H.R. 4040)
Total Phthalates Content Test per CPSIA 2008 (H.R. 4040)

III. This product was imported by:

Mary Meyer Corp.
Route 30
Townshend, VT 05353 USA
Tel (+852)-3580-0773

IV. Testing and compliance records are maintained by:

Hong Kong:
Mary Meyer (Hong Kong) Limited
11/F, Flat A, Siu On Commercial Building
243-245 Des Voeux Rd. West
Hong Kong, S.A.R. Peoples' Republic of China
Tel: (+852)-2915-2506
Email: compliance@marymeyer.com
Attn: Jeffrey Blauner

USA:
Mary Meyer Corp.
P.O. Box 275
Townshend, VT 05353
USA
Tel: (802)-365-7793
email: compliance@marymeyer.com
Attn: Vikki Dunn

V. This product was manufactured in:

Dongguan, Guangdong Province, Peoples' Republic of China
December, 2010

VI. The product covered by this certificate was tested for compliance:

Shenzhen, Guangdong Province, Peoples' Republic of China
November, 2010
Component testing:
Eyes testing (lead substrate and pthalates):
Label testing (lead substrate and pthalates): A41860954
Other:
Other:
Other:
Other:

VII. Third party testing was conducted by:

Specialized Technology Resources (Shanghai) Limited, Shenzhen Branch
3-4/F, Qingyi Supermask Photoelectricity Building
8 Langshan 2nd Road
North High Tech Industrial Park, Nanshan District, Shenzhen 518057
Guangdong Province, Peoples' Republic of China
(+86)-755-2601-8600

Mary Meyer Corp.
P.O. Box 275, Route 30
Townshend, VT 05353 USA
Tel: (802)-365-7793 Fax: (802)-365-4233